

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	915	(713/168).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 17:34
S2	0	instruction near database and (backend back?end hidden) near2 server and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/04 17:18
S3	376	instruction near database and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/04 17:18
S4	0	instruction near database and @ad<"20000801" and S1	US-PGPUB; USPAT	OR	ON	2005/04/04 17:18
S5	413	(backend back?end hidden) near2 server and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/04 17:25
S6	5	(backend back?end hidden) near2 server and @ad<"20000801" and S1	US-PGPUB; USPAT	OR	ON	2005/04/04 17:19
S7	298	(backend back?end hidden) near2 server and @ad<"20000801" and instruction	US-PGPUB; USPAT	OR	ON	2005/04/04 17:25
S8	64	(backend back?end hidden) near2 server and @ad<"20000801" and instruction with (specific database data adj base)	US-PGPUB; USPAT	OR	ON	2005/04/04 18:00
S9	1	"6052785".pn.	US-PGPUB; USPAT	OR	ON	2005/04/04 18:31
S10	0	instruction near format and @ad<"20000801" and S1	US-PGPUB; USPAT	OR	ON	2005/04/04 18:32
S11	3072	instruction near format and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/04 18:32
S12	258	instruction near format and @ad<"20000801" and server	US-PGPUB; USPAT	OR	ON	2005/04/04 18:32
S13	226	instruction near format and @ad<"20000801" and server and request\$4	US-PGPUB; USPAT	OR	ON	2005/04/04 18:33
S14	124	instruction near format and @ad<"20000801" and server and request\$4 and database	US-PGPUB; USPAT	OR	ON	2005/04/04 18:33
S15	360	(hidden backend back adj end) near server and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/05 13:18
S17	6	(hidden backend back adj end) near server with instruction and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/05 11:43
S18	2	("5805820" "5958052").pn.	US-PGPUB; USPAT	OR	ON	2005/04/05 12:52

S19	64	(backend back?end hidden) near2 server and @ad<"20000801" and instruction with (specific database data adj base)	US-PGPUB; USPAT	OR	ON	2005/04/05 13:18
S20	124	instruction near format and @ad<"20000801" and server and request\$4 and database	US-PGPUB; USPAT	OR	ON	2005/04/05 13:18
S22	33	(S20 S19) and credit adj card	US-PGPUB; USPAT	OR	ON	2005/04/05 14:03
S23	4	"2281684".pn.	USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 14:29
S25	7	"6357010"	US-PGPUB; USPAT	OR	ON	2005/04/05 14:30
S26	1	"6357010".pn.	US-PGPUB; USPAT	OR	ON	2005/04/05 14:36
S27	916	(713/168).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 14:36
S28	553	S27 and server	US-PGPUB; USPAT	OR	ON	2005/04/05 14:36
S29	212	S27 and server and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/05 14:57
S30	70	authorizing adj credit adj cards	US-PGPUB; USPAT	OR	ON	2005/04/05 14:57
S31	0	authorizing adj credit adj cards.ti.	US-PGPUB; USPAT	OR	ON	2005/04/05 14:57
S32	0	"authorizing credit cards".ti.	US-PGPUB; USPAT	OR	ON	2005/04/05 14:57
S33	16	(database data adj base) with (allowable legal) with instruction	US-PGPUB; USPAT	OR	ON	2005/04/06 11:06
S34	3	program adj procedure adj name and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 11:07
S35	3	computer adj2 procedure adj name and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 11:08
S36	399	procedure adj name and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 11:08
S37	38	(transmit\$4 send\$4 receiv\$4) with procedure adj name and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 16:22
S38	46	priority near queue with (firewall router server) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 12:40
S39	3	priority near queue with (firewall router server) and @ad<"20000801" and sensitive near (information data)	US-PGPUB; USPAT	OR	ON	2005/04/06 12:41

S42	2	discard\$4 with sensitive near (information data) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 12:42
S43	744	(drop\$4 discard\$4 delet\$4) with (sensitive private personal) near2 (data information message)	US-PGPUB; USPAT	OR	ON	2005/04/06 14:55
S44	247	(drop\$4 discard\$4 delet\$4) with (sensitive private personal) near2 (data information message) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 14:55
S45	104	(drop\$4 discard\$4 delet\$4) with (sensitive private) near2 (data information message) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 14:55
S46	3	format\$4 near2 (message data) with (hidden backend back adj end) adj server and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 15:30
S47	2	("5870557" "5958052").pn.	US-PGPUB; USPAT	OR	ON	2005/04/06 17:03
S49	1	"5805820".pn.	US-PGPUB; USPAT	OR	ON	2005/04/06 16:25
S50	1	"4754395".pn.	US-PGPUB; USPAT	OR	ON	2005/04/06 17:03
S51	1103	(database data adj base) near2 instruction and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 17:34
S52	107	(database data adj base) near2 instruction with server and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/06 17:34
S53	12	("5007080"   "5062040"   "5187790"   "5218699"   "5307490"   "5329619"   "5377350"   "5430876"   "5463625"   "5517645"   "5526491"   "5546584").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 17:53
S54	6	S53 and rpc	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 18:51
S55	1	S53 and rpc and procedure adj name	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 17:54
S56	5	rpc near name with (database data adj base) and @ad<"20000801"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 18:51
S57	642	(instruction command) adj (database data adj base) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 11:14
S58	225	instruction adj (database data adj base) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 11:16

S59	98	instruction adj (database data adj base) and @ad<"20000801" and server	US-PGPUB; USPAT	OR	ON	2005/04/07 11:16
S60	15	procedure adj name with message and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 12:22
S61	7	instruction near2 procedure adj name	US-PGPUB; USPAT	OR	ON	2005/04/07 13:07
S62	4	instruction near2 procedure adj name and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 13:08
S63	23	instruction with procedure adj name and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 13:08
S64	72265	(delet\$4 discard\$4 remov\$4) with minute and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 16:24
S66	322	(delet\$4 discard\$4 remov\$4) with (information data) with minute and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 16:20
S67	69	(delet\$4 discard\$4 remov\$4) near2 (information data) with minute and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 16:20
S68	0	(delet\$4 discard\$4 remov\$4) with (sensitive private personal ) near2 (information data) with minute and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 16:20
S69	183	(delet\$4 discard\$4 remov\$4) with (sensitive private personal ) with minute and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 16:21
S70	1	(delet\$4 discard\$4 remov\$4) with (sensitive private personal) with (information data) with minute and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 16:21
S71	19	(delet\$4 discard\$4 remov\$4) with (sensitive private personal) with minute near2 (one two) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 16:22
S72	0	(delet\$4 discard\$4 remov\$4) with minute with private near2 data and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 16:25
S73	0	(delet\$4 discard\$4 remov\$4) with minute with private with data and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 16:25
S74	798	computer adj instructions with storage adj medium	US-PGPUB; USPAT	OR	ON	2005/04/07 16:50
S75	87	computer adj instructions with storage adj medium and @ad<"20000801" and server	US-PGPUB; USPAT	OR	ON	2005/04/07 17:04
S76	9	delete with private with (information data) with time\$4 and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 17:07

S77	6	temporar\$4 adj stor\$4 with (private sensitive) adj (data information) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 17:07
S78	680	time adj period with (delet\$4 discard\$4) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 17:17
S79	12	(private sensitive personal) with time adj period with (delet\$4 discard\$4) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 17:17
S80	3	time adj sensitive adj queue\$4	US-PGPUB; USPAT	OR	ON	2005/04/07 17:45
S81	0	time adj to adj live and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 17:45
S82	0	time adj to adj live	US-PGPUB; USPAT	OR	ON	2005/04/07 17:45
S83	1900	time adj live and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 17:45
S84	5	time adj live and @ad<"20000801" and (hidden backend back adj end) adj server	US-PGPUB; USPAT	OR	ON	2005/04/07 17:46
S85	4	(sensitive private) with time adj live and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 17:47
S86	17	minute with time adj live and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 18:01
S87	38	server with time adj live and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 18:02